

87/ 193,833

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	74	(e-mail electronic adj message\$1) with (SMTP and pop)	USPAT	2003/05/14 13:47
2	BRS	L2	41	1 and filter\$3	USPAT	2003/05/14 13:29
3	BRS	L3	18	2 and category	USPAT	2003/05/14 13:30
4	BRS	L4	17	3 and database	USPAT	2003/05/14 13:30
5	BRS	L5	0	4 and @rlad<=19981117	USPAT	2003/05/14 13:31
6	BRS	L6	0	3 and @rlad<=19981117	USPAT	2003/05/14 13:31
7	BRS	L7	0	4 and @rlad<=19981117	USPAT	2003/05/14 13:31
8	BRS	L8	16	1 and @rlad<=19981117	USPAT	2003/05/14 13:31
9	BRS	L9	91	(e-mail electronic adj message\$1) same (SMTP and pop)	USPAT	2003/05/14 13:48
10	BRS	L10	17	9 not 1	USPAT	2003/05/14 13:48
11	BRS	L11	13	10 and advantage\$1	USPAT	2003/05/14 13:48
12	BRS	L12	31525	(e-mail electronic near3 message\$1)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/05/14 13:55
13	BRS	L13	573	(relational near3 database\$1) same (categor\$5 classif\$)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/05/14 13:56

	Typ	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	93	((e-mail electronic near3 message\$1) ) and ((relational near3 database\$1) same (categor\$5 classif\$) )	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/05/14 13:57
15	BRS	L15	16	((e-mail electronic near3 message\$1) ) and ((relational near3 database\$1) same (categor\$5 classif\$) )) and @rlad<=19981117	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/05/14 13:57
16	BRS	L16	16	((e-mail electronic near3 message\$1) ) and ((relational near3 database\$1) same (categor\$5 classif\$) )) and @rlad<=19981117	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/05/14 13:57

US-PAT-NO: 6564248  
DOCUMENT-IDENTIFIER: US 6564248 B1  
TITLE: E-mail system with video e-mail player

---

Brief Summary Text - BSTX (2):

Electronic mail, or e-mail, stores messages and delivers them when the addressee is ready to receive them, in a so-called "store-and-forward" manner. The basic e-mail system consists of a front-end mail client and a back-end mail server. The e-mail client is a program running on an individual user's computer which composes, sends, reads, and typically stores e-mail. The e-mail server is a program running on a network server which the e-mail client contacts to send and receive messages. For example, INTERNET e-mail utilizes a SMTP (Simple Mail Transport Protocol) mail server to send mail and a POP (Post Office Protocol) server to receive mail. To send e-mail, an e-mail client contacts an SMTP mail server which moves the message to a POP server where it is sorted and made available to the recipient. The recipient's e-mail client logs on to the POP server and requests to see the messages that have accumulated in the mailbox. Conventionally, e-mail communications involve the transfer of text. Text-only e-mail, however, does not utilize the full potential of this emerging form of communications.

Related Application Filing Date - RLFD (1):

19971222